

# North Carolina Department of Transportation

## BID FORM

WBS ELEMENT: 45301

TIP NUMBER: B-5203

ROUTE: SR 1532(RIPP HWY)

COUNTY: Beaufort

DESCRIPTION: Replace Bridge #157 over Pungo Creek

BID OPENING: October 04, 2011 @ 11AM

ITEM	SECT	DESCRIPTION	QTY	UNIT	UNIT PRICE	AMOUNT BID
1	800	MOBILIZATION	1	LS		
2	801	CONSTRUCTION SURVEYING	1	LS		
3	SP	REINFORCED BRIDGE APPROACH FILL, STATION -L- 16+55.11	1	LS		
4	226	GRADING	1	LS		
5	226	UNDERCUT EXCAVATION (CONTINGENCY)	200	CY		
6	SP	FOUNDATION CONDITIONING MATERIAL, MINOR STRS	20	TON		
7	SP	FOUNDATION CONDITIONING FABRIC	40	SY		
8	SP	18" CAA PIPE CULVERTS, 0.064" THICK	30	LF		
9	SP	24" CAA PIPE CULVERTS, 0.064" THICK	68	LF		
10	610	ASPHALT CONC BASE COURSE, TYPE B25.0B	60	TON		
11	610	ASPHALT CONC INTERMEDIATE COURSE, TYPE I19.0B	260	TON		
12	610	ASPHALT CONC SURFACE COURSE, TYPE SF9.5B	300	TON		
13	620	ASPHALT BINDER FOR PLANT MIX, GRADE PG 64-22	38	TON		
14	840	MASONRY DRAINAGE STRUCTURES	2	EA		
15	840	FRAME W/GRATE STD. 840.29	2	EA		
16	846	SHOULDER BERM GUTTER	70	LF		
17	862	STEEL BEAM GUARDRAIL	264	LF		
18	862	ADDITIONAL GUARDRAIL POSTS	10	EA		
19	862	GUARDRAIL ANCHOR UNITS, TYPE III	4	EA		
20	SP	GUARDRAIL ANCHOR UNITS, TYPE 350	4	EA		
21	876	RIP RAP, CLASS I	5	TON		
22	876	RIP RAP, CLASS II	80	TON		
23	876	RIP RAP, CLASS B	5	TON		
24	876	FILTER FABRIC FOR DRAINAGE	150	SY		
25	1605	TEMPORARY SILT FENCE	1080	LF		
26	1610	STONE FOR EROSION CONTROL, CLASS B	10	TON		
27	1610	SEDIMENT CONTROL STONE	63	TON		
28	1615	TEMPORARY MULCHING	1	ACR		

29	1620	SEED FOR TEMPORARY SEEDING	50	LB		
30	1620	FERTILIZER FOR TEMP. SEEDING	0.2	TON		
31	1622	TEMPORARY SLOPE DRAINS	200	LF		
32	1622	INLET PROTECTION AT TEMPORARY SLOPE DRAINS	2	EA		
33	SP	SAFETY FENCE	300	LF		
34	1630	SILT EXCAVATION	5	CY		
35	1631	MATTING FOR EROSION CONTROL	535	SY		
36	1632	¼" HARDWARE CLOTH	160	LF		
37	SP	FLOATING TURBIDITY CURTAIN	80	SY		
38	1660	SEEDING AND MULCHING	1	ACR		
39	1661	SEED FOR REPAIR SEEDING	50	LB		
40	1661	FERTILIZER FOR REPAIR SEEDING	0.2	TON		
41	402	REMOVAL OF EXISTING STRUCTURE AT -L- STA 16+55	1	LS		
42	412	UNCLASSIFIED STRUCTURE EXCAVATION	1	LS		
43	420	CLASS AA CONCRETE (BRIDGE)	26.6	CY		
44	422	BRIDGE APPROACH SLABS	1	LS		
45	425	EPOXY COATED REINFORCING STEEL (BRIDGE)	3894	LB		
46	450	HP 12X53 GALVANIZED STEEL PILES	800	LF		
47	450	PILE REDRIVES	10	EA		
48	SP	VERTICAL CONCRETE BARRIER RAIL	130.25	LF		
49	430	ELASTOMETRIC BEARINGS	1	LS		
50	430	3'-0" X 2'-0" PRESTRESSED CONCRETE CORED SLABS	650	LF		
51	SP	PDA TESTING	1	EA		
52	SP	PDA ASSISTANCE	1	EA		

***TOTAL BID FOR PROJECT:*** \_\_\_\_\_

CONTRACTOR \_\_\_\_\_

ADDRESS \_\_\_\_\_

Federal Identification Number \_\_\_\_\_ Contractors License Number \_\_\_\_\_

Authorized Agent \_\_\_\_\_ Title \_\_\_\_\_

Signature \_\_\_\_\_ Date \_\_\_\_\_

Witness \_\_\_\_\_ Title \_\_\_\_\_

Signature \_\_\_\_\_ Date \_\_\_\_\_

---

**THIS SECTION TO BE COMPLETED BY NC DEPARTMENT OF TRANSPORTATION**

*This bid has been reviewed in accordance with Article 103-1 of the Standard Specifications for Roads and Structures 2006.*

*Reviewed by NCDOT* \_\_\_\_\_ *Date* \_\_\_\_\_  
*Contract Officer*

*Accepted by NCDOT* \_\_\_\_\_ *Date* \_\_\_\_\_  
*Division Engineer*